

Message

From: Ho, Yenhung [Ho.Yenhung@epa.gov]
Sent: 10/8/2020 11:36:46 PM
To: Albright, David [Albright.David@epa.gov]
Subject: RE: CES Mendota - Follow up on Comments on Class VI

They raised a few issues last time, but I think the only issue left unaddressed was about the water well locations identified by CES. I think Cadmus has either addressed the other issues during the call or added clarifying questions to the site characterization evaluation.

From: Albright, David <Albright.David@epa.gov>
Sent: Thursday, October 8, 2020 4:10 PM
To: Ho, Yenhung <Ho.Yenhung@epa.gov>
Subject: FW: CES Mendota - Follow up on Comments on Class VI

Hi Calvin, I responded to John and copied you. However, I am curious if you know which issues he may be referring to which he notes have not been addressed. I sent all three of our letters together just to be sure everyone has them handy. Thanks, David

From: Borkovich, John@Waterboards <John.Borkovich@waterboards.ca.gov>
Sent: Thursday, October 8, 2020 3:19 PM
To: Albright, David <Albright.David@epa.gov>
Cc: Agusiegbe, Vincent@DOC <vincent.agusiegbe@conservation.ca.gov>; Zinky, Janice@Waterboards <janice.zinky@waterboards.ca.gov>; Ho, Yenhung <Ho.Yenhung@epa.gov>; Dermer, Michele <Dermer.Michele@epa.gov>
Subject: RE: CES Mendota - Follow up on Comments on Class VI

Hi David

We would like to discuss with you issues that were previously raised that weren't addressed and some new questions that are more technical in nature (geochemistry) that maybe the contractor could answer. CalGEM (Vincent and his team) also has questions and we are attempting to coordinate by having a single meeting hopefully avoid potentially redundant meetings.

Lastly I am off work next Friday, but Janice can cover if that works for folks.

John

From: Albright, David <Albright.David@epa.gov>
Sent: Thursday, October 8, 2020 2:33 PM
To: Borkovich, John@Waterboards <John.Borkovich@waterboards.ca.gov>
Cc: Agusiegbe, Vincent@DOC <Vincent.Agusiegbe@conservation.ca.gov>; Zinky, Janice@Waterboards <Janice.Zinky@waterboards.ca.gov>; Ho, Yenhung <Ho.Yenhung@epa.gov>; Dermer, Michele <Dermer.Michele@epa.gov>
Subject: RE: CES Mendota - Follow up on Comments on Class VI

EXTERNAL:

Hi John, Calvin and I are available to meet next Friday at 1pm. If you can let us know specific issues you want to discuss, that would be helpful in determining whether to have our contractor join as well. Thanks, David

David Albright
Manager, Groundwater Protection Section
USEPA Region 9 (WTR-4-2)
75 Hawthorne Street
San Francisco, CA 94105
415 972-3971

From: Borkovich, John@Waterboards <John.Borkovich@waterboards.ca.gov>
Sent: Thursday, October 8, 2020 11:25 AM
To: Albright, David <Albright.David@epa.gov>; Dermer, Michele <Dermer.Michele@epa.gov>
Cc: Agusiegbe, Vincent@DOC <vincent.agusiegbe@conservation.ca.gov>; Zinky, Janice@Waterboards <janice.zinky@waterboards.ca.gov>
Subject: CES Mendota - Follow up on Comments on Class VI

David and Michele

CalGEM and the Water Boards would like to meet with you to discuss the CES project. Are you available later next week?

Thanks
John

John Borkovich, PG
State Water Board, Div. Of Water Quality
Groundwater Monitoring Section Chief
1001 I Street, Sacramento CA 95814
John.Borkovich@waterboards.ca.gov

Note: I'm currently teleworking and checking VM infrequently. Best to contact me via email.